



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the Busch Blvd Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Busch Blvd Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Busch Blvd Draft Concept ?				

1. Please tell us what you think of the Fowler Ave Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Fowler Ave Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Fowler Ave Draft Concept ?				

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
N/A

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
N/A

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?
will there be a ~~bike~~ bike lane?
no crosswalks shown - will there be a crosswalk @ highway exits?

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?
bike lane?

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the Busch Blvd Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input checked="" type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted? <i>Add crosswalks. Busch Blvd is a very busy Blvd.</i>				
3. If you dislike the recommendation, please tell us any changes to the Busch Blvd Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted? <i>I like the recommendations</i>				
4. What other comments do you have about any aspect of the Busch Blvd Draft Concept ? <i>No comments.</i>				

1. Please tell us what you think of the Fowler Ave Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input checked="" type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted? <i>Add bike lanes</i>				
3. If you dislike the recommendation, please tell us any changes to the Fowler Ave Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted? <i>I like the recommendations</i>				
4. What other comments do you have about any aspect of the Fowler Ave Draft Concept ? <i>No comments</i>				

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the Busch Blvd Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Busch Blvd Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted? n/a				
4. What other comments do you have about any aspect of the Busch Blvd Draft Concept ?				

1. Please tell us what you think of the Fowler Ave Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted? love to see some lighting!				
3. If you dislike the recommendation, please tell us any changes to the Fowler Ave Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Fowler Ave Draft Concept ? additional seating where bus stops are				

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the Busch Blvd Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Busch Blvd Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Busch Blvd Draft Concept ?				

1. Please tell us what you think of the Fowler Ave Draft Concept . Check one box.				
<input type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Fowler Ave Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Fowler Ave Draft Concept ?				
Steel beams can include/showcase "families"/ individuals of different gender/ages, etc.				

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

Bike lanes are missing.

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?

LOVE the night lighting.

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

Bike lanes are missing

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?

Love lighting.

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?

POSSIBLY SUGGEST SIDEWALK FENCE / SAFETY FOR PEDESTRIANS

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?


3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?

Lighting is EXCELLENT!
SPECIFICALLY THE BRIGHT LIGHTING ON STREET CROSSWALK

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input checked="" type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	-----------------------------------	---	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
more lighting and colorful art. Bike lane.

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
Community art. Represents community/get them involved.

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?
Colors + diversity

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
Better overarch structure

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
more art / colors.

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?
Lighting will increase aesthetics and safety.

MADE IN CHINA

Thank you for your participation!
Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
I think this would help a lot of people

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
N/A

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?
N/A

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
I stay on Fowler and I think it would really ~~be~~ be helpful for my mom.

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
N/A

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?
N/A

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?

add landscaping in the median

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?

add pad activated posts at 1st crosswalk

Thank you for your participation!
Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the Busch Blvd Draft Concept . Check one box.				
<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Busch Blvd Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Busch Blvd Draft Concept ?				

1. Please tell us what you think of the Fowler Ave Draft Concept . Check one box.				
<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?				
3. If you dislike the recommendation, please tell us any changes to the Fowler Ave Draft Concept that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?				
4. What other comments do you have about any aspect of the Fowler Ave Draft Concept ?				

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?

It wld be nice to see presentation situated w/in current streetscape

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input type="checkbox"/> 5 = Excellent	<input checked="" type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
--	--	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?


3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?

A

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.



Survey of Innovation Gateway Draft Concepts

June 7, 2017

1. Please tell us what you think of the **Busch Blvd Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
Great Recommendation

3. If you dislike the recommendation, please tell us any changes to the **Busch Blvd Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
N/A

4. What other comments do you have about any aspect of the **Busch Blvd Draft Concept**?
N/A

1. Please tell us what you think of the **Fowler Ave Draft Concept**. Check one box.

<input checked="" type="checkbox"/> 5 = Excellent	<input type="checkbox"/> 4 = Good	<input type="checkbox"/> 3 = Neutral	<input type="checkbox"/> 2 = Poor	<input type="checkbox"/> 1 = Unacceptable
---	-----------------------------------	--------------------------------------	-----------------------------------	---

2. If you like or are neutral of the recommendation, what other suggestions do you have? Is anything missing? Should something be rethought, added or deleted?
The recommendation are refreshing

3. If you dislike the recommendation, please tell us any changes to the **Fowler Ave Draft Concept** that would allow you to give it at least a "3". Is anything missing? Should something be rethought, added or deleted?
N/A

4. What other comments do you have about any aspect of the **Fowler Ave Draft Concept**?
N/A

Thank you for your participation!

Please hand in before you leave. If you cannot, please return to Lisa K. Silva, AICP, PLA, Hillsborough Metropolitan Planning Organization, 18th Floor, P.O. Box 1110, Tampa, FL 33601-1110 Fax: 813 272-6258, silval@plancom.org. For more information go to our website www.planhillsborough.org/innovation-gateway.